Gryphon 4500 Series	
Gryphon GBT4500, 2D MP Imager, Digimarc, Wireless Charging, Black	GBT4500-BK-DGM-WLC
Gryphon GBT4500, 2D MP Imager, High Density, Wireless Charging, Black	GBT4500-BK-HD-WLC
Gryphon GBT4500, 2D MP Imager, High Density, Wireless Charging, Healthcare	GBT4500-HC-HD-WLC
Gryphon GBT4500, 2D MP Imager, Wireless Charging, Black	GBT4500-BK-WLC
Gryphon GBT4500, 2D MP Imager, Wireless Charging, Healthcare	GBT4500-HC-WLC
Gryphon GBT4500, 2D MP Imager, Wireless Charging, White	GBT4500-WH-WLC
Gryphon GBT4500, Kit, USB, Black (Kit includes scanner, WLC4090-BK-BT base and USB cable 90A052258)	GBT4500-BK-BTK1
Gryphon GBT4500, Kit, USB, Black, Disinfectant Ready Antimicrobial (Kit includes scanner, WLC4090-BK-BT-DRA base and USB cable 90A052258)	GBT4500-BK-BTK1DRA
Gryphon GBT4500, Kit, USB, Health Care (Kit includes scanner, WLC4090-HC-BT base and USB cable 90A052278)	GBT4500-HC-BTK1
Gryphon GBT4500, Kit, USB, Health Care, BPOC (Kit includes scanner, WLC4090-HC-BT base and USB cable 90A052278)	GBT4500-HCK10-BPOC
Gryphon GBT4500, Kit, USB, High Density, Black, Disinfectant Ready Antimicrobial, (Kit includes scanner, WLC4090-BK-BT-DRA base and USB cable 90A052258)	GBT4500-BK-BTK1HDD
Gryphon GBT4500, Kit, USB, Red illumination, High Density, Health Care, BPOC (Kit includes scanner, WLC4090-HC-BT base and USB cable 90A052278)	GBT4500-HCK10-HDRB
Gryphon GM4500, 2D MP Imager, 43 3MHz, Wireless Charging, White	GM4500-WH-433-WLC
Gryphon GM4500, 2D MP Imager, 433 MHz, Wireless Charging, Black	GM4500-BK-433-WLC
Gryphon GM4500, 2D MP Imager, 433 MHz, Wireless Charging, Healthcare	GM4500-HC-433-WLC
Gryphon GM4500, 2D MP Imager, 910 MHz, Wireless Charging, Black	GM4500-BK-910-WLC
Gryphon GM4500, 2D MP Imager, High Density, 433 MHz, Wireless Charging, Black	GM4500-BK-HD-433
Gryphon GM4500, Kit, USB, 433 MHz, Black (Kit includes scanner, WLC4090-BK-433 base and USB cable 90A052258)	GM4500-BK-433K1
Gryphon GM4500, Kit, USB, 433 MHz, Health Care (Kit includes scanner, WLC4090-HC-433 base and USB cable 90A052278)	GM4500-HC-433K1
Gryphon GM4500, Kit, USB, 433 MHz, High Density, Health Care, BPOC (Kit includes scanner, WLC4090-HC-433 base and USB cable 90A052278)	GM4500-HC-433K1-HD
Gryphon GM4500, Kit, USB, 910 MHz, Black (Kit includes scanner, WLC4090-BK-910 base and USB cable 90A052258)	GM4500-BK-910K1
Gryphon GM4500, Kit, USB, 910 MHz, Health Care, BPOC (Kit includes scanner, WLC4090-HC-910 base and USB cable 90A052278)	GM4500-HC-910K10-B
Gryphon GM4500, Kit, USB, 910 MHz, Red illumination, High Density, Health Care, BPOC (Kit includes scanner, WLC4090-HC-910 base and USB cable 90A052278)	GM4500-HC-910K1HDR
Gryphon I GD4520, 2D Mpixel Imager, USB-only, Black	GD4520-BK-USB
Gryphon I GD4520, 2D Mpixel Imager, USB-only, Black (Includes Scanner and All in One Permanent Base)	GD4520-BK-B-USB

Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner and USB Cable 90A052258)	GD4520-BKK1
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner, All in One Permanent Base and USB Cable 90A052258)	GD4520-BKK1B
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black (Kit includes Scanner, USB Cable 90A052258 and Stand)	GD4520-BKK1S
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, Black, Disinfectant Ready Antimicrobial (Kit includes Scanner and USB Cable 90A052258)	GD4520-BKK1-DRA
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, HC (Kit includes Scanner and USB Cable 90A052278)	GD4520-HCK1
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, Black (Kit includes Scanner and USB Cable 90A052258)	GD4520-BKK1-HD
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, Black, Disinfectant Ready Antimicrobial (Kit includes Scanner and USB Cable 90A052258)	GD4520-BKK1-HD-DRA
Gryphon I GD4520, Kit, 2D Mpixel Imager, USB-only, High Density, HC (Kit includes Scanner and USB Cable 90A052278)	GD4520-HCK1-HD
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, Black	GD4590-BK
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, Black (Includes Scanner and All in One Permanent Base)	GD4590-BK-B
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, BPOC Kit, HC (Kit includes Scanner and USB Cable 90A052278)	GD4590-HCK10-BPOC
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, Digimarc, Black	GD4590-BK-DGM
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, High Density, Black	GD4590-BK-HD
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, Red illumination, High Density, BPOC Kit, HC (Kit includes Scanner and USB Cable 90A052278)	GD4590-HCK10-HDR-B
Gryphon I GD4590, 2D Mpixel Imager, USB/RS-232 Multi-Interface, White	GD4590-WH

BASE STATION		
Wireless Charging Base Station, 433 MHz, USB/RS-232 Multi-Interface, Black		WLC4090-BK-433
Wireless Charging Base Station, 433 MHz, USB/RS-232 Multi-Interface, Healthcare		WLC4090-HC-433
Wireless Charging Base Station, 433 MHz, USB/RS-232 Multi-Interface, White		WLC4090-WH-433
Wireless Charging Base Station, 910 MHz, USB/RS-232 Multi-Interface, Black		WLC4090-BK-910
	Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, Black	WLC4090-BK-BT
Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, Healthcare		WLC4090-HC-BT

	Wireless Charging Base Station, BT, USB/RS-232 Multi-Interface, White	WLC4090-WH-BT

EASEOFCARE AGREEMENTS	
GD45XX EofC 2 Days Comprehensive, 1 Year Renewal	ZSC2GD45R1
GD45XX EofC 2 Days Comprehensive, 3 Years	ZSC2GD4531
GD45XX EofC 2 Days Comprehensive, 5 Years	ZSC2GD4551
GD45XX EofC 5 Days, 1 Year Renewal	ZSN5GD45R1
GD45XX EofC 5 Days, 3 Years	ZSN5GD4531
GD45XX EofC 5 Days, 5 Years	ZSN5GD4551
GD45XX EofC Overnight Replacement Comprehensive, 1Year Renewal	ZSC1GD45R1
GD45XX EofC Overnight Replacement Comprehensive, 3 Years	ZSC1GD4531
GD45XX EofC Overnight Replacement Comprehensive, 5 Years	ZSC1GD4551
GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, 3 YEARS	ZSC2GM45C31
GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2GM45C51
GM/BT45 BASE EofC 2 DAYS COMPREHENSIVE, RENEWAL	ZSC2GM45CR1
GM/BT45 BASE EofC 5 DAYS, 3 YEARS	ZSN5GM45C31
GM/BT45 BASE EofC 5 DAYS, 5 YEARS	ZSN5GM45C51
GM/BT45 BASE EofC 5 DAYS, RENEWAL	ZSN5GM45CR1
GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, 3 YEARS	ZSC1GM45C31
GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, 5 YEARS	ZSC1GM45C51
GM/BT45 BASE EofC OVERNIGHT COMPREHENSIVE, RENEWAL	ZSC1GM45CR1
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 3 YEARS	ZSC2GM4531
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 3 YEARS, BATTERY	ZSC2GM453B
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2GM4551
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, 5 YEARS, BATTERY	ZSC2GM455B
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, RENEWAL	ZSC2GM45R1
GM/BT45XX EofC 2 DAYS COMPREHENSIVE, RENEWAL, BATTERY	ZSC2GM45RB
GM/BT45XX EofC 5 DAYS, 3 YEARS	ZSN5GM4531

GM/BT45XX EofC 5 DAYS, 5 YEARS	ZSN5GM4551
GM/BT45XX EofC 5 DAYS, RENEWAL	ZSN5GM45R1
GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, 3 YEARS	ZSC1GM4531
GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, 5 YEARS	ZSC1GM4551
GM/BT45XX EofC OVERNIGHT COMPREHENSIVE, RENEWAL	ZSC1GM45R1
MINIMUM REPAIR CHARGE,GD45XX	ZR0GD45MIN
MINIMUM REPAIR CHARGE,GM/BT45XX	ZR0GM45MIN
WHOLE UNIT REPAIR,GD45XX	ZR0GD45MAX
WHOLE UNIT REPAIR,GM/BT45XX	ZR0GM45MAX

BATTERIES/BATTERY CHARGERS		
	Battery Charger, 4-Slot, GRYPHON 4500; (requires the 90ACC0350 power supply)	MC-GM45
	Battery Pack, Removable, Gryphon 4500 series Wireless	RBP-GM45

CABLES	
Cable, Active, RS-485 to RS-232, Coiled, 3.6m	90A052316
Cable, RS-232, 12' Coiled (For Magellan)	90G001095
Cable, RS-232, 9P, Female, Coiled, CAB-362, External Power, 6 ft.	90A051330
Cable, RS-232, 9P, Female, Coiled, CAB-408 (Power available on pin 9 of the connector or through external power supply), 6 ft.	90A051891
Cable, RS-232, 9P, Female, Straight, CAB-327, Requires External Power, 6 ft.	90G000008
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Beetle POS, Straight, CAB-389, Power Off Terminal, 6.5 ft.	90A051710
Cable, RS-232, DCE, 9P, Extended Power-Power off Terminal, 4 Meters	90A052086

Cable, RS-232,RJ to RJ, Coiled, 6' (For Magellan Aux Port)	90G001092
Cable, USB, Power Conn, Straight, Power off terminal, 2 Meters, CAB-413E2	90A052101
Cable, USB, Type A, Coiled, Power off terminal, 2 Meters, CAB-424E	90A052100
Cable, USB, Type A, Enhanced, Coiled, Power Off Terminal, 5 Meters	90A052066
Cable, USB, Type A, Enhanced, Straight, Power Off Terminal, 2M (USB Certified)	90A052065
Cable, USB, Type A, External Power, High Current, PVCW, Straight, 1.2M, Black (for use with WLC4X90 Wireless Charging Base Station)	90A052361
Cable, USB, Type A, External Power, High Current, PVCW, Straight, 3M, Black (for use with WLC4X90 Wireless Charging Base Station	90A052356
Cable, USB, Type A, PVCW, Straight, 2M, Black	90A052258
Cable, USB, Type A, PVCW, Straight, 2M, White	90A052278
Cable, USB, Type A, TPUW, Coiled, Power off Terminal, 5M, Black	90A052289
Cable, USB, Type A,TPUW, Coiled, 2.4m, Black	90A052285
Cable, USB, Type C, High Current, PVCW, Straight, 1.2M, Black (for use with WLC4190 Wireless Charging Base Station)	90A052360
Cable, USB, Type C, High Current, PVCW, Straight, 3M, Black (for use with WLC4190 Wireless Charging Base Station)	90A052355
Cable, USB, Type C, PVCW, Coiled 2.4M, Black	90A052354
Cable, USB, Type C, PVCW, Straight, 2M, Black	90A052352
Cable, USB, Type C, PVCW, Straight, 2M, White	90A052353
Cable, USB+PWR,TPUW, Straight, 2M, Black	90A052302

CASES/HOLSTERS		
	Protective Case/Belt Holster Gryphon 4500 series (Corded & Wireless)	PC-G041

MISCELLANEOUS		
	Cart Clip (For use with Gryphon 4500 series Wireless HC Units. Already Included with Each HC Base Station.)	CC-G045-HC

MOUNTS/STANDS		
	Holder, Desk/Wall Mount, G041, Black	HLD-G041-BK
	Holder, Desk/Wall Mount, G041, White	HLD-G041-WH
	Holder, Multi-Purpose, Black	11-0360
	Holder, Multi-Purpose, Grey	11-0362
	Stand, Auto, G041, Black	STD-G041-BK
	Stand, Auto, G041, White	STD-G041-WH

POWER SUPPLIES/CORDS	
Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX)	8-0935
Power Cord, 100V, Japan	6003-0927
Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, AC, IEC/EU	6003-0940
Power Cord, IEC C13, Brazil	6003-0942
Power Supply,Switching,12V,5A (For Use with 6003-XXXX Power Cords)	90ACC0350

SOFTWARE	
API access to telemetry, logs, remote commands, RMA management, Aladdin configuration, firmware updates and downgrades, scheduled automation for a compliant and optimized Handheld Scanners management.	ZSIOTAPIHHS
Centralized device configuration through Aladdin, firmware updates and downgrades, device and scanner configuration, scheduled automation, and policy enforcement for compliant and optimized Handheld device performance.	ZSIOTPROHHS
Device health and status, real-time telemetry and log collection, command execution from remote and RMA integration for efficient Handheld Scanners fleet management.	ZSIOTESSHHS