


<b>PowerScan 9100 Series</b>	
PowerScan D9100 RS-232 KIT (Kit inc. PD9130, CAB-434)	PD9130-K2
PowerScan D9100 USB KIT 9 (Kit inc. PD9130, CAB-524)	PD9130-K1
PowerScan M9100 433 RB RS-232 KIT EU (Kit inc. PM9100-433RB, BC9030-433, CAB-433, 8-0935, 6003-0940)	PM9100-433RBK20
PowerScan M9100 433 RB USB KIT EU (Kit inc. PM9100-433RB, BC9030-433, CAB-438, 8-0935, 6003-0940)	PM9100-433RBK10
PowerScan M9100 910 RB USB KIT US (Kit inc. PM9100-910RB, BC9030-910, CAB-438, 8-0935, 6003-0941)	PM9100-910RBK10
PowerScan M9100/D Display/4-Key Keypad, 433 RB RS-232 KIT EU (Kit inc. PM9100-D433RB, BC9030-433, CAB-433, 8-0935, 6003-0940)	PM9100-D433RBK20
PowerScan M9100/D Display/4-Key Keypad, 433 RB USB KIT EU (Kit inc. PM9100-D433RB, BC9030-433, CAB-438, 8-0935, 6003-0940)	PM9100-D433RBK10
PowerScan M9100/D Display/4-Key Keypad, 910 RB USB KIT US (Kit inc. PM9100-D910RB, BC9030-910, CAB-438, 8-0935, 6003-0941)	PM9100-D910RBK10
PowerScan PBT9100 REM.BATT RS-232 KIT EU (Kit inc. PBT9100-RB, BC9030-BT, CAB-433, 8-0935, 6003-0940)	PBT9100-RBK20EU
PowerScan PBT9100 REM.BATT RS-232 KIT US (Kit inc. PBT9100-RB, BC9030-BT, CAB-433, 8-0935, 6003-0941)	PBT9100-RBK20US
PowerScan PBT9100 REM.BATT USB KIT EU (Kit inc. PBT9100-RB, BC9030-BT, CAB-438, 8-0935, 6003-0940)	PBT9100-RBK10EU
PowerScan PBT9100 REM.BATT USB KIT US (Kit inc. PBT9100-RB, BC9030-BT, CAB-438, 8-0935, 6003-0941)	PBT9100-RBK10US
PowerScan PBT9100, Bluetooth, Linear Imager, Removable Battery	PBT9100-RB
PowerScan PD9130, Linear Imager, Multi-Interface	PD9130
PowerScan PM9100 910 RB RS-232 KIT US (Kit inc. PM9100-910RB, BC9030-910, CAB-433, 8-0935, 6003-0941)	PM9100-910RBK20
PowerScan PM9100, 433 MHz, Linear Imager, Display/16-Key, RB	PM9100-DK433RB
PowerScan PM9100, 433 MHz, Linear Imager, Display/4-Key , RB	PM9100-D433RB
PowerScan PM9100, 433 MHz, Linear Imager, Removable Battery	PM9100-433RB
PowerScan PM9100, 910 MHz, Linear Imager, Display/16-Key, RB	PM9100-DK910RB
PowerScan PM9100, 910 MHz, Linear Imager, Display/4-Key , RB	PM9100-D910RB
PowerScan PM9100, 910 MHz, Linear Imager, Removable Battery	PM9100-910RB

BASE STATION	
BC9030 Base Station/Charger, 433 MHz, Multi-Interface (RS-232, USB and KBD Wedge)	BC9030-433
BC9030 Base Station/Charger, 910 MHz, Multi-Interface (RS-232, USB and KBD Wedge)	BC9030-910
BC9030 Base/Charger BT Multi-Interface (RS-232, USB and KBW)	BC9030-BT
BC9130 Base Station/ Dual Charger, 433 MHz, Multi-Interface (RS-232, USB and KBD Wedge), Spare Battery Slot	BC9130-433
BC9130 Base Station/ Dual Charger, 910 MHz, Multi-Interface (RS-232, USB and KBD Wedge), Spare Battery Slot	BC9130-910
BC9130 Base/Dual Charger BT Multi-Interface (RS-232, USB and KBW), Spare Battery Slot	BC9130-BT
BC9160 Base Station/Dual Charger, 433 MHz, Multi-Interface (RS-232, USB, KBD Wedge and RS485), Spare Battery Slot	BC9160-433
BC9160 Base Station/Dual Charger, 910 MHz, Multi-Interface (RS-232, USB, KBD Wedge and RS485), Spare Battery Slot	BC9160-910
BC9180 Base Station/Dual Charger, 433 MHz, Ethernet	BC9180-433
BC9180 Base Station/Dual Charger, 910 MHz, Ethernet	BC9180-910
BC9180 BASE/DUAL CHARGER BT ETH	BC9180-BT

EASEOFCARE AGREEMENTS	
PD91, EoC OVERNIGHT REPLACEMENT, 3 YEARS, COMPREHENSIVE	ZSC1PD91SR31
PD91, EoC OVERNIGHT REPLACEMENT, 5 YEARS, COMPREHENSIVE	ZSC1PD91SR51
PD91, EoC OVERNIGHT REPLACEMENT, RENEWAL, COMPREHENSIVE	ZSC1PD91SRR1
PD91XX , EofC 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PD91SR31
PD91XX , EofC 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PD91SR51
PD91XX , EofC 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2PD91SRR1
PD91XX , EofC 3 DAYS, 3 YEARS, COMP	ZSC3PD91SR31
PD91XX , EofC 3 DAYS, 5 YEARS, COMP	ZSC3PD91SR51
PD91XX , EofC 3 DAYS, RENEWAL, COMP	ZSC3PD91SRR1
PM/BT91, EofC OVERNIGHT, 3 YEARS, COMPREHENSIVE	ZSC1PM91SR31
PM/BT91, EofC OVERNIGHT, 5 YEARS, COMPREHENSIVE	ZSC1PM91SR51
PM/BT91, EofC OVERNIGHT, RENEWAL, COMPREHENSIVE	ZSC1PM91SRR1
PM/BT91XX, EofC 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PM91SR31
PM/BT91XX, EofC 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PM91SR51


PM/BT91XX, EofC 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2PM91SRR1
PM/BT91XX, EofC 3 DAYS, 3 YEARS, COMP	ZSC3PM91SR31
PM/BT91XX, EofC 3 DAYS, 5 YEARS, COMP	ZSC3PM91SR51
PM/BT91XX, EofC 3 DAYS, RENEWAL, COMP	ZSC3PM91SRR1
PM/BT91XX, EofC 5 DAYS, 3 YEARS	ZSN5PM91SR31
PM/BT91XX, EofC 5 DAYS, 5 YEARS	ZSN5PM91SR51
PM/BT91XX, EofC 5 DAYS, RENEWAL	ZSN5PM91SRR1
PM/BT91XX,2 DAYS, 3 YEARS, COMP, BAT	ZSC2PM91SR3B
PM/BT91XX,2 DAYS, 5 YEARS, COMP, BAT	ZSC2PM91SR5B
PM/BT91XX,2 DAYS, RENEW, COMP, BAT	ZSC2PM91SRCB
POWERSCAN PM/BT93/95 BASE, 2 DAYS, 3 YEARS, COMPREHENSIVE	ZSC2PM95B31
POWERSCAN PM/BT93/95 BASE, 2 DAYS, 5 YEARS, COMPREHENSIVE	ZSC2PM95B51
POWERSCAN PM/BT93/95 BASE, 2 DAYS, RENEWAL, COMPREHENSIVE	ZSC2PM95BR1
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 3 YEARS	ZSN5PM95B31
POWERSCAN PM/BT93/95 BASE, 5 DAYS, 5 YEARS	ZSN5PM95B51
POWERSCAN PM/BT93/95 BASE, 5 DAYS, RENEWAL	ZSN5PM95BR1
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 3 YEARS, COMPREHENSIVE	ZSC1PM95B31
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, 5 YEARS, COMPREHENSIVE	ZSC1PM95B51
POWERSCAN PM/BT93/95 BASE, OVERNIGHT, RENEWAL, COMPREHENSIVE	ZSC1PM95BR1
STAR SD9030, EoC, 2 DAYS COMPREHENSIVE, 5 YEARS	ZSC2SD903051



BATTERIES/BATTERY CHARGERS		
Battery Charger, 4-Slot, MC-9000; (requires the 90ACC0350 power supply)		MC-P090
	BATTERY CHARGER, C-9000	CHR-P090
BATTERY PACK, FIXED, FBP-9001		FBP-PM91
BATTERY PACK, REMOVABLE, RBP-9001, 3350MAH, PLUS		RBP-PM91

Battery Pack, Removable, RBP-9001, 3350mAh, Plus, Locking System	RBP-PM91-LK
WWS750 BATTERY PACK, REMOVABLE, RBP-9001, BLACK	RBP-PM91-BK

<b>CABLES</b>	
CAB-438 USB Type A Straight	CAB-438
Cable M12 3-p axial 10m	95A251340
Cable M12 3-p axial 3m	95A251290
Cable M12 3-p axial 5m	95A251300
Cable, KBW, PS/2, Coiled, CAB-437, 9 ft.	CAB-437
Cable, KBW, PS/2, Straight, CAB-436, 6 ft.	CAB-436
Cable, RS-232 PWR, 9P, Female, Coiled, 3.6 m, CAB-459	CAB-459
Cable, RS-232 PWR, 9P, Female, Coiled, CAB-434, 8 ft.	CAB-434
Cable, RS-232 PWR, 9P, Female, Straight, 3.2 m, CAB-501	CAB-501
Cable, RS-232 PWR, 9P, Female, Straight, CAB-433, 6 ft.	CAB-433
Cable, RS-232, 25P, Female, Coiled, CAB-471, 10 ft.	CAB-471
Cable, RS-232, 25P, Male, CBX800 Power Off Terminal, Coiled, 12 ft.	CAB-512
Cable, RS-232, 25P, Male, CBX800, External Power, Coil, 12 ft	CAB-509
Cable, RS-232, 25P, Male, Coiled, CAB-472, 10 ft.	CAB-472
Cable, RS-232, 9D, Female, POT, Coiled, 25 ft, 90A052014, CAB-479	CAB-479
Cable, RS-232, 9P, Female, Straight, CAB-350 (Power Supply available on pin 9 of the connector or through external power supply), 6 ft.	90A051230
Cable, RS-232, 9P, Male, Coiled, 3.6 m, CAB-456	CAB-456
Cable, RS-232, RJ10 Magellan Bi-Optic AUX Port, Coiled, 3.6 m, CAB-461, 12 ft.	CAB-461
Cable, USB, Type A, Coiled, POT, CAB-524, 8 ft.	CAB-524
Cable, USB, Type A, Coiled, TPUW, CAB-550, 2.4m	CAB-550
Cable, USB, Type A, External Power, Coiled, CAB-441, 8 ft.	CAB-441
Cable, USB, Type A, External Power, Straight, CAB-440, 8 ft.	CAB-440
Cable, USB, Type A, Straight, 3.6 m, CAB-465	CAB-465
RS232 cable for WWS750 scanner, 9P female, 6ft	CAB-448

CASES/HOLSTERS		
	Holder, Desk/Wall Mount	HLD-P080
	Holster, Universal, HLS-8000	HLS-P080
	Protective Case/Belt Holster, PC-9000	PC-P090

MISCELLANEOUS		
FIELDBUS CONVERTER, ETH IP, INDUSTRIAL		FBC9080-N200
FIELDBUS CONVERTER, PROFINET, INDUSTRIAL		FBC9080-N100
	Replaceable Window, Plastic, RWB-9300	RWD-P093-PL
Star System USB Industrial Dongle 433 MHz		SD9030-433-A
Star System USB Industrial Dongle 910 MHz		SD9030-910-A

MOUNTS/STANDS		
	Industrial Take Up Reel	7-0404
	STAND,HANDS-FREE,STD-9000	STD-P090

	Vehicle Mount Kit, VMK-9000	VMK-P090
--	-----------------------------	----------

POWER SUPPLIES/CORDS	
ADAPTER, POWER PLUG, AUSTRALIA	90ACC0309
ADAPTER, POWER PLUG, EURO, 2 PIN	90ACC0307
ADAPTER, POWER PLUG, UK	90ACC0308
ADAPTER, POWER PLUG, US/JAPAN	90ACC0306
Power Adapter, 12V DC, AC/DC Regulated, RoHS (Requires Power Cord - 6003-XXXX)	8-0935
Power Cord, 100V, Japan	6003-0927
Power Cord, 110V, US, Standard	6003-0941
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy/Chile	6003-0924
Power Cord, 240V, UK	6003-0923
Power Cord, 2-Pin, EU	90ACC1885
Power Cord, 2-Pin, UK	90ACC1887
Power Cord, 2-Pin, US	90ACC1886
Power Cord, AC, IEC/EU	6003-0940
Power Cord, Euro Monitor	6003-0931
Power Cord, IEC C13, Argentina	6003-0926
Power Cord, IEC C13, Brazil	6003-0942
Power Cord, IEC C13, China	6003-0935
Power Cord, IEC C13, Korea	6003-0930
Power Supply, 12VDC, US, PG12-10P35-US (includes power cord 90ACC1886)	90ACC1920
Power Supply, 5VDC, ready to accept 2 pin power cord or alternatively an adapter power plug (not included order separately)	90ACC0287