| Magellan 3510HSi | |
|---|---|
| Magellan 3510HSi, Kit, USB Keyboard Scanner, Sapphire Platter, 1D/2D Scanning, Standard Mount, No Power Supply, Type A 4.5 m/15 ft Cable | M3511-010210-00604 |
| Magellan 3510HSi, No Platter, Default Configuration, 1D/2D Scanning, No Accessories | M3510-010200 |
| Magellan 3510HSi, Sapphire Platter, Default Configuration, 1D/2D Scanning, No Mount, No Power Supply, 15' USB OEM POT cable | M3511-010200-00403 |
| Magellan 3510HSi, Sapphire Platter, Default Configuration, 1D/2D Scanning, Standard Mount with HS1250 Fill Kit, No Power Supply, No Cable | M3511-010220 |
| Magellan 3510HSi, Sapphire Platter, Default Configuration, 1D/2D Scanning, Standard Mount, Euro Power Supply, 15' RS232 cable | M3511-010210-07104 |
| Magellan 3510HSi, Sapphire Platter, Default Configuration, 1D/2D Scanning, Standard Mount, No Power Supply, No Cable | M3511-010210 |
| Magellan 3510HSi, Sapphire Platter, Default Configuration, 1D/2D Scanning, Standard Mount, US/Canada Power Supply, 15' RS232 cable | M3511-010210-01104 |
| Magellan 3510HSi, Scanner, Multi-Interface, Sapphire Platter, 1D/2D Scanning (Required Cable and/or Power Accessories Sold Separately) | M3511-010200 |
| Magellan 3510HSi, Tin Oxide Platter, Default Configuration, 1D/2D Scanning, No Accessories | M3513-010200 |
| Magellan 3510HSi, Tin Oxide Platter, Default Configuration, 1D/2D Scanning, Standard mount with HS1250 Fill Kit, No Power Supply, No cable | M3513-010220 |
| Magellan 3510HSi, Tin Oxide Platter, Default Configuration, 1D/2D Scanning, Standard Mount, No Power Supply, 15' USB Keyboard POT cable | M3513-010210-00604 |
| Magellan 3510HSi, Tin Oxide Platter, Default Configuration, 1D/2D Scanning, Standard Mount, No Power Supply, 15' USB OEM POT cable | M3513-010210-00403 |
| Magellan 3510HSi, Tin Oxide Platter, Default Configuration, 1D/2D Scanning, Standard Mount, No Power Supply, No Cable | M3513-010210 |

| Magellan 3550HSi Imager | |
|---|---|
| Magellan 3550HSi, Kit, OEM USB Scanner, 1D/2D Model, No Top, POT 4.6 m Cable | M3550-010200-00403 |
| Magellan 3550HSi, Kit, OEM USB Scanner, 1D/2D Model, No Top, Standard Counter Mount, POT 4.6 m Cable | M3550-010210-00403 |
| Magellan 3550HSi, Kit, OEM USB Scanner, 1D/2D Model, Sapphire Glass, POT 4.6 m Cable | M3551-010200-00403 |
| Magellan 3550HSi, Kit, OEM USB Scanner, 1D/2D Model, Sapphire Glass, Standard Counter Mount, POT 4.6 m Cable | M3551-010210-00403 |
| Magellan 3550HSi, Kit, OEM USB Scanner, 1D/2D Model, Tin Oxide Glass, POT 4.6 m Cable | M3553-010200-00403 |
| Magellan 3550HSi, Kit, RS-232 Scanner, 1D/2D Model with Digimarc, Sapphire Glass, Standard Counter Mount, Power Brick/Cord (EU), PC DB9 4.5 m/15 ft Ext Pwr Cable | M3551-010310-07104 |
| Magellan 3550HSi, Kit, RS-232 Scanner, 1D/2D Model, Sapphire Glass, Power Brick/Cord (EU), PC DB9 4.5 m/15 ft Ext Pwr Cable | M3551-010200-07104 |

| | |
|---|---|
| Magellan 3550HSi, Kit, RS-232 WN Scanner, 1D/2D Model with Digimarc, No Top, DE9P Beetle, DC Plug, 4.5 m / 15 ft Cable | M3550-010300-00230 |
| Magellan 3550HSi, Kit, RS-232 WN Scanner, 1D/2D Model with Digimarc, Sapphire Top, DE9P Beetle, DC Plug, 4.5 m / 15 ft Cable | M3551-010300-00230 |
| Magellan 3550HSi, Kit, RS-232 WN Scanner, 1D/2D Model with Digimarc, Sapphire Top, Standard Counter Mount, DE9P Beetle, DC Plug, 4.5 m / 15 ft Cable | M3551-010310-00230 |
| Magellan 3550HSi, Kit, RS-232 WN Scanner, 1D/2D Model, Sapphire Top, DE9P Beetle, DC Plug, 4.5 m / 15 ft Cable | M3551-010200-00230 |
| Magellan 3550HSi, Kit, RS-232 WN Scanner, 1D/2D Model, Tin Oxide Glass, Standard Counter Mount, Power Brick/Cord (EU), Beetle 4.5 m/15 ft Ext Pwr Cable | M3553-010210-07203 |
| Magellan 3550HSi, Kit, USB Comm Scanner, 1D/2D Model, Sapphire Glass, Power Brick/Cord (EU), Type A 4.5 m/15 ft Cable | M3551-010200-07904 |
| Magellan 3550HSi, Kit, USB Keyboard Scanner, 1D/2D Model with Digimarc, Sapphire Glass, Standard Counter Mount, Power Brick/Cord (JP), Type A 4.5 m/15 ft Cable | M3551-010310-04604 |
| Magellan 3550HSi, Kit, USB Keyboard Scanner, 1D/2D Model with Digimarc, Sapphire Glass, Standard Counter Mount, Power Brick/Cord (US), Type A 4.5 m/15 ft Cable | M3551-010310-01604 |
| Magellan 3550HSi, Kit, USB Keyboard Scanner, 1D/2D Model, Sapphire Glass, Standard Counter Mount, Power Brick/Cord (EU), Type A 4.5 m/15 ft Cable | M3551-010210-07604 |
| Magellan 3550HSi, Kit, USB Keyboard Scanner, Sapphire Platter, 1D/2D Scanning, Standard Counter Mount, Power Brick/Cord (US), Type A 4.5 m/15 ft Cable | M3551-010210-01604 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model with Digimarc, Sapphire Glass (Mount and Required Cable and/or Power Accessories Sold Separately) | M3551-010300 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model with Digimarc, Tin Oxide Glass (Mount and Required Cable and/or Power Accessories Sold Separately) | M3553-010300 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model, No Top (Mount and Required Cable and/or Power Accessories Sold Separately) | M3550-010200 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model, No Top, Standard Counter Mount (Required Cable and/or Power Accessories Sold Separately) | M3550-010210 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model, Sapphire Glass, Standard Counter Mount (Required Cable and/or Power Accessories Sold Separately) | M3551-010210 |
| Magellan 3550HSi, Scanner, Multi-Interface, 1D/2D Model, Tin Oxide Glass, Standard Counter Mount (Required Cable and/or Power Accessories Sold Separately) | M3553-010210 |

| EASEOFCARE AGREEMENTS | |
|---|---|
| MAGELLAN 3510HSi EofC 2 DAYS COMPREHENSIVE, 3 YEARS | ZSC2M3510VS31 |
| MAGELLAN 3510HSi EofC 2 DAYS COMPREHENSIVE, 5 YEARS | ZSC2M3510VS51 |
| MAGELLAN 3510HSi EofC 2 DAYS COMPREHENSIVE, RENEWAL | ZSC2M3510VSR1 |
| MAGELLAN 3510HSi EofC 5 DAYS, 3 YEARS | ZSN5M3510VS31 |
| MAGELLAN 3510HSi EofC 5 DAYS, 5 YEARS | ZSN5M3510VS51 |
| MAGELLAN 3510HSi EofC 5 DAYS, RENEWAL | ZSN5M3510VSR1 |
| MAGELLAN 3550HSi EofC 2 DAYS COMPREHENSIVE, 3 YEARS | ZSC2M3550VS31 |
| MAGELLAN 3550HSi EofC 2 DAYS COMPREHENSIVE, 5 YEARS | ZSC2M3550VS51 |
| MAGELLAN 3550HSi EofC 2 DAYS COMPREHENSIVE, RENEWAL | ZSC2M3550VSR1 |
| MAGELLAN 3550HSi EofC 5 DAYS, 3 YEARS | ZSN5M3550VS31 |
| MAGELLAN 3550HSi EofC 5 DAYS, 5 YEARS | ZSN5M3550VS51 |
| MAGELLAN 3550HSi EofC 5 DAYS, RENEWAL | ZSN5M3550VSR1 |
| MGL 3510HSi EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 3 YEARS | ZSC1M3510VS31 |
| MGL 3510HSi EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, 5 YEARS | ZSC1M3510VS51 |
| MGL 3510HSi EofC OVERNIGHT REPLACEMENT COMPREHENSIVE, RENEWAL | ZSC1M3510VSR1 |
| MGL 3550HSi EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 3 YEARS | ZSC1M3550VS31 |
| MGL 3550HSi EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, 5 YEARS | ZSC1M3550VS51 |
| MGL 3550HSi EofC OVERNIGHT REPLACEMENT, COMPREHENSIVE, RENEWAL | ZSC1M3550VSR1 |

| CABLES | |
|---|---|
| Cable, OEM, USB, Power Off Terminal, Barrel, DC Plug, 4.6 m | 90A052311 |
| Cable, RS-232, 9D, Beetle, 4.5 m/15 ft | 90A052129 |
| Cable, RS-232, DE9P, SNI Beetle, Power Off Terminal, DC Plug, 4.5 m/15 ft | 90A052380 |
| Cable, RS-232, ICL, PC, 9D,4.5 m/15 ft | 90A052121 |
| Cable, USB A, ERI, 2 m | 90A052293 |
| Cable, USB, Type A, External Power, 15 ft | 90A052292 |
| Cable, USB, Type A, VBUS_PROT, External Power, 10 ft | 90A052392 |

| | |
|---|---|
| Cable, USB+ Power Off Terminal, ERI, Barrel Plug, 4.6 m | 90A052406 |

| **MISCELLANEOUS** | |
|---|---|
| Customer Service Scanner (Gen 2) with Omni Mount Accessory | 90ACC0515 |
| Top, LLT, Magellan 3500HSi/3700HSi | 90ACC0300 |
| Top, Tin Oxide, Magellan 3500HSi/3700HSi | 90ACC0302 |

| **MOUNTS/STANDS** | | |
|---|---|---|
|  | Mount, Counter, HS1250 Fill, Magellan 2300HS/3300HSi/3550HSi | 11-0178 |
|  | Mount, Split, Magellan 35XXHSi/37XXHSi | 90ACC0355 |

| **POWER SUPPLIES/CORDS** | |
|---|---|
| Power Cord, 100V, Japan | 6003-0927 |
| Power Cord, 110V, US, Standard | 6003-0941 |
| Power Cord, 220V, Australia | 6003-0925 |
| Power Cord, 220V, Italy/Chile | 6003-0924 |
| Power Cord, 240V, UK | 6003-0923 |
| Power Cord, AC, BIS India, 5 ft, RoHS | 90ACC0192 |
| Power Cord, AC, IEC/EU | 6003-0940 |
| Power Cord, IEC C13, Argentina | 6003-0926 |
| Power Cord, IEC C13, Brazil | 6003-0942 |
| Power Cord, IEC C13, China | 6003-0935 |
| Power Cord, IEC C13, Korea | 6003-0930 |
| Power Supply, 12V/18W, Right Angle Plug (without Power Cord) | 90ACC0358 |

| | |
|---|---|
| Power Supply/Cord Kit, Japan (Includes 90ACC0358 and 6003-0927) | 90ACC0616 |

| **SOFTWARE** | |
|---|---|
| API access to telemetry, logs, remote commands, RMA management, Aladdin configuration, firmware updates and downgrades, scheduled automation for a compliant and optimized Fixed Retail Scanners management. | ZSIOTAPIFRS |
| Centralized device configuration through Aladdin, firmware updates and downgrades, device and scanner configuration, scheduled automation, and policy enforcement for compliant and optimized Fixed Retail device performance. | ZSIOTPROFRS |
| Device health and status, real-time telemetry and log collection, command execution from remote and RMA integration for efficient Fixed Retail Scanners fleet management. | ZSIOTESSFRS |